

#### LA-UR-18-30443

Approved for public release; distribution is unlimited.

Title: Feedback on ENDF/B-VIII.0 covariances from users that could not attend

Author(s): Neudecker, Denise

Intended for: CSEWG, 2018-11-05/2018-11-07 (Upton, New York, United States)

Web

Issued: 2018-11-01 (Draft)



### Feedback on ENDF/B-VIII.0 covariances from users that could not attend

D. Neudecker

CSEWG, Nov/6/18

Feedback from P. Palmiotti, R. Capote and P. Griffin





# From Pino Palmiotti (taken directly from his presentation):

- Missing covariance data for:
  - P<sub>1</sub> of <sup>56</sup>Fe, <sup>235</sup>U, <sup>238</sup>U
- Cross correlations for <sup>56</sup>Fe reactions that were present in COMMARA 2.0
- Unacceptable values (cor >1) for:
- <sup>- 235</sup>U cross cor: inelastic/ (capture and fission), fission/capture
- <sup>-238</sup>U cross cor: elastic/inelastic, inelastic/ (capture and fission)
- <sup>- 238</sup>U fission spectrum (very low energy)
- Strange values (>>>>100%) for <sup>16</sup>O P<sub>1</sub> values at low energy
- Some difficulties in processing MF35 data (Oscar Cabellos helped)





# From Pino Palmiotti (summarized from his presentation):

- Big problem for the Pn covariance files of <sup>56</sup>Fe, <sup>235</sup>U, and <sup>238</sup>U: a new way of representation has been used that is not treated by NJOY2016. Because of that, the code produces a null matrix after processing. He does not see how we can then use these files.
- Concern was raised over large changes from VII.1 to VIII.0 in
  - <sup>- 56</sup>Fe: elastic, inelastic, capture.
  - <sup>- 235</sup>U: fission and PFNS
  - <sup>-238</sup>U: elastic, inelastic, capture, fission, nubar, PFNS
  - <sup>- 239</sup>Pu: capture, fission.





# From Pino Palmiotti (summarized from his presentation):

- Cross section adjustment bigger than 1-sigma std:
- <sup>- 56</sup>Fe(n,inl): from 10 MeV to 800 keV, (n,g) from 800keV to 60 keV
  - <sup>- 238</sup>U(n,inl): from 1.3 MeV to 800 keV
- <sup>- 239</sup>Pu(n,g): from 15 keV to 2 keV and (n,2n) from 10 to 6 MeV
- Adjustment behaves expectedly, but some small increase is observed for a few cases of elastic and capture. This could indicate some problem in the cross correlation among reactions.





#### From Roberto Capote:

- Covariance work needed should be integral part of new evaluations.
- Much additional work is needed to estimate the experimental uncertainty budget of some relevant past measurements (e.g., Neutron Data Standards)





#### **From Pat Griffin:**

Please supply also untweaked nuclear data files. I.e., if you change, for instance, nu-bar by hand to improve C/E agreement with ICSBEP k<sub>eff</sub> values, provide the file without the tweak in addition to ENDF/B-VIIIx.



